SPTY

100% ELECTRIC

EV60-80

Built for your everyday journeys.

Electric motorcycle
Urban mobility and delivery



80 km/h
Maximum speed

180 km
Maximum range*

6 kW
Peak motor power

OUR COMPANY

Shanghai Autos PTY

Electric mobility solutions from China for Panama and Latin America.

Shanghai Autos PTY is part of Wellview Universal Group. With a presence in Panama and our own office in China, we coordinate vehicle selection, inspection, logistics, spare parts and technical support according to each project.

We serve private customers, businesses and fleet operators. Configuration, availability, warranty and service are confirmed in writing for each order.



PANAMÁ / CHINA / LATAM

Wellview Universal Group

PERFORMANCE

Power to keep you moving



6 kW
Peak power

205 Nm
Maximum torque

80 km/h
Maximum speed

22°
Maximum gradient*

4 kW rated motor. Two riding modes: Comfort / ECO and Sport.

*Gradient stated with one 75 kg rider.

BATTERY AND CHARGING

Energy for every day



60 Ah — Battery capacity

180 km* — Maximum range

4.5 h / 3.5 h — Charge to 100% / 80%

220 V AC / 15 A — Charger input / output

REMOVABLE BATTERY

Quick battery swapping.

LFP IFR32135-15AH battery with smart BMS. EV60-80R: 45 Ah, up to 140 km; 10 A charger and 4.7 h / 3.8 h charging (100% / 80%).

EQUIPMENT

Details that make a difference



VA display

Clear and readable riding information.



LED lighting

LED headlight and signalling.



CBS braking

Disc braking system.



Dual rear suspension

Rear suspension with twin shock absorbers.

Long seat, rear rack and anti-theft storage compartment. Delivery bag and SPTY finishes are illustrative; confirm included equipment when requesting a quotation.

PRODUCT DATA

Technical specifications | EV60-80

Dimensions L × W × H	**1980 × 760 × 1060 mm**
Wheelbase	**1290 mm**
Maximum torque	**205 Nm**
Rated motor power	**4000 W**
Peak motor power	**6000 W**
Maximum speed	**80 km/h**
Maximum range*	**180 km**
Charger input	**220 V AC**
Charger output	**15 A**
Charging: 100% / 80%	**4.5 h / 3.5 h**
Driving modes	**Comfort / Sport**
Climbing capacity	**22° (1 rider, 75 kg)**
Battery management	**Smart BMS**
Battery capacity	**60 Ah**
Battery type	**IFR32135-15AH / LFP**
Front tyre	**3.00-17 6PR**
Rear tyre	**100/90-17 6PR**
Available colours	**Red / Black / Green**

*Range stated with one 75 kg rider at a constant 35 km/h in E mode. Actual range depends on load, speed, terrain and operating conditions.

PRODUCT DATA

Technical specifications | EV60-80R

Dimensions L × W × H	**1980 × 760 × 1060 mm**
Wheelbase	**1290 mm**
Maximum torque	**205 Nm**
Rated motor power	**4000 W**
Peak motor power	**6000 W**
Maximum speed	**80 km/h**
Maximum range*	**140 km**
Charger input	**220 V AC**
Charger output	**10 A**
Charging: 100% / 80%	**4.7 h / 3.8 h**
Driving modes	**Comfort / Sport**
Climbing capacity	**22° (1 rider, 75 kg)**
Battery management	**Smart BMS**
Battery capacity	**45 Ah**
Battery type	**IFR32135-15AH**
Front tyre	**3.00-17 6PR**
Rear tyre	**100/90-17 6PR**
Available colours	**Red / Black / Green**

*Range stated with one 75 kg rider at a constant 35 km/h in E mode. Actual range depends on load, speed, terrain and operating conditions.

CONTACT

Let us discuss your project

SHANGHAI AUTOS PTY S.A.

Centro Comercial Costa Sur, Local 28
Panama City, Panama

ventas@shanghai-autospty.com

+507 385-6171

WhatsApp +507 6351-5786

www.shanghai-autospty.com



Images show illustrative SPTY customisation. Final specifications, accessories, colours, availability and terms are confirmed in the commercial quotation.